



ARRI ST ROLL	
6	17
DIR.	DATE
D.O.P.	

Autopole System

The ultimate adjustable lighting pole system can be used to create a background support, suspend lighting, structure a lighting grid, or for hundreds of other studio and location applications.

Its unique single action cantilever locking system exerts the correct amount of pressure to assure a secure fit, wedging the protective rubber ends in place wall to wall or ceiling to floor. The cantilever system incorporates a safety lock to prevent accidental de-tensioning or movement.



Autopole System

The Autopole® - The original adjustable lighting pole system.

- Unique cantilever single action locking system exerts pressure to securely wedge the rubber suction cup ends in place.
- Cantilever system incorporates safety lock.
- Floor to ceiling, or wall to wall fixing for strong vertical or horizontal support of lighting.
- Three versions, up to 370cm metres plus optional extensions available.
- Two styles: Original Autopole® and Autopole® with variable thrust.

LS.032.SPL

AUTOPOLE® SPIRIT LEVEL

Spirit level for use on Autopole®, or on tubes of 25mm to 60mm diameter.



LS.032.PC

AUTOPOLE® PROTECTION CAPS

Set of four protection caps for rubber feet with inner hole.

Ø: 16.5mm. Suitable for use with all Autopoles except Mini Autopole® and Mini Pole LS.170.



LS.032

AUTOPOLE®

2.2kg

Extends from 210cm to 370cm.
Pole Ø: 45mm and 40mm.

LS.432-3,7B

AUTOPOLE2®

2.6kg

Two position variable thrust.
Extends from 210cm to 370cm.
Pole Ø: 45mm and 40mm.

LS.076

AUTOPOLE®

1.83kg

Extends from 150cm to 270cm.
Pole Ø: 45mm and 40mm.

LS.432-2,7B

AUTOPOLE2®

2.23kg

Two position variable thrust.
Extends from 150cm to 270cm.
Pole Ø: 45mm and 40mm.

LS.077

AUTOPOLE®

1.5kg

Extends from 100cm to 170cm.
Pole Ø: 45mm and 40mm.

LS.432-1,7B

AUTOPOLE2®

1.9kg

Two position variable thrust.
Extends from 100cm to 170cm.
Pole Ø: 45mm and 40mm.

Autopole2® locking system with 2 setting for thrust tension.

LS.032.BASE

B

AUTOPOLE® BASE

📏 86cm

📏 126cm

📏 1.2kg

For tubes: Ø 45mm.
Legs Ø: 22mm.



LS.170.BASE

B

MINI POLE BASE

📏 62cm

📏 106cm

📏 0.67kg

For tubes Ø: 28mm.
Legs Ø: 22mm.



LS.033

B

EXTENSION TUBE

📏 0.69kg

Autopole® Extension tube.
Ø: 40mm.
Length: 2m.
Suitable for Autopole2® and Autopole®.



LS.170

B

MINI POLE

📏 0.87kg

Spring loaded mini pole.
Extends from 175cm to 330cm.
Post Ø: 25mm and 28mm.



LS.034

B

EXTENSION TUBE

📏 0.53kg

Autopole® Extension tube.
Ø: 40mm.
Length: 1.5m.
Suitable for Autopole2®
and Autopole®.

