


Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England

Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
<b>Diamond Series Consoles</b>		
	<p><b>Diamond 4 Vision</b></p> <p><b>All include:</b></p> <ul style="list-style-type: none"> <li>8 DMX universes, 4'096 DMX Channels</li> <li>Dual head XVGA video output</li> <li>Printed, Water Proof Console Cover</li> <li>control Personality Files supplied for over 220 fixtures</li> <li>Visualisation software</li> <li>Full fixture support</li> <li>Control Personality Files supplied for over 220 fixtures</li> </ul>	
	<p><b>Diamond 4 Elite</b></p> <ul style="list-style-type: none"> <li>Internal High Resolution Electronic Legending</li> <li>Operators Manual</li> <li>MIDI input</li> <li>Audio inputs</li> <li>MS embedded XP software licence</li> <li>Advanced timing functions</li> <li>Modem and Ethernet controller</li> </ul> <p><b>Ready for future enhancements:</b></p> <ul style="list-style-type: none"> <li>RDM, the latest DMX standard</li> <li>Ethernet</li> <li>Spare PCI slots for additional devices</li> <li>USB ports for flash backup and easy connection to other peripherals</li> </ul> <p><b>Diamond 4 consoles require two external screens which are not included in the console price. These should have a resolution of at least 1280 * 1024 and can generally be sourced locally at a competitive price. Alternatively purchase 2 off 30-01-6005 (see below).</b></p>	
	<b>Vision Series</b>	
30-01-7450	<b>Diamond 4 Vision</b>	19980.00
09-01-0150	Diamond 4 Vision Flightcase	950.00
09-01-0151	Diamond 4 Vision packaging (if not supplied flightcased) ( <b>Nett price</b> )	250.00
8100-9055	Additional Silver D4 Vision Coated Console Heat Reflective cover	54.00
	<b>Elite Series</b>	
30-01-7500	<b>Diamond 4 Elite</b>	15000.00
09-01-0200	Diamond 4 Elite Flightcase	800.00
09-01-0201	Diamond 4 Elite packaging (if not supplied flightcased) ( <b>Nett price</b> )	225.00
8100-9050	Additional Silver D4 Elite Coated Console Heat Reflective cover	54.00
	<b>Diamond 4 options:-</b>	
11-02-0121	Console desk lights ( 2 required for Elite, 3 for Vision)	55.00
30-01-6005	LCD Colour Monitor resolution 1280 * 1024 ( <b>Nett price</b> )	350.00
09-01-0085	Flightcase suitable for 2 off LCD colour monitors (as above)( <b>Nett price</b> )	200.00
1804-5000	UPS Mains supply ( <b>Nett Price</b> )	110.00
	<b>PC Simulation / Off Line Editor</b>	
	Simulation software allowing off line editing of shows (included with console) or available as no charge download from www.avolites.com	25.00
	<b>Diamond 4 Desktop Components</b> (First availability - March 2004):-	
	The Desktop series of components allows off line editing of a Diamond 4 show, and with the addition of the software unlock and EZ DMX the simulation software can be used to actually run a show either as a backup to the main console or as a small stand alone system for exhibitions etc. The 'Pilot' gives physical playbacks enhancing the usability of software. To run the software a good quality software stable PC running MS Windows XP is required, with at least 500Mb memory, 40Gb free hard disk space, 1 free USB port and a graphics screen with resolution of at least 1280 * 1204.	
30-10-7610	Diamond 4 Desktop software (dongle to unlock software)	1500.00
33-65-3102	EZ DMX unit. 8 DMX universe output box for Desktop system	985.00
30-01-7601	Diamond 4 Pilot controller (provisional price)	860.00

All prices are ex works and exclude VAT and are subject to any time.  
The terms and conditions of sale are printed on the back of every invoice and available on demand.

Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England

Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
------	-------------	---------



**All Sapphire 2004 Consoles include:**  
**2,048 Output Channels** – 4 full-speed DMX lines  
**Shape Generator** for instant creation of patterns & effects  
 \*\*\* New Colour LCD screen  
 Control of any mixture of Instruments  
 240 Dimmer Control Channels  
 Dimmer soft patch, with multiple response curves and HTP control  
 2,000 Memories, Sequences, or Shapes  
 20 sequences may be run simultaneously  
 20 Playback Submasters  
 Fitted with 3.5 inch, 1.44MB floppy disk drive  
 7 High Resolution, Internal LCD Graphics Screens  
 Bass, Mid, and Treble sound to light triggers  
 Theatrical style keypad channel selection and Playback Control  
 MIDI, and MIDI timecode inputs.  
 Operators Manual and Mains Lead  
 Fitted with Extended Memory  
 Control Personality Files supplied for over 220 fixtures  
 Avolites Stage Visualiser, serial connection (runs on a separate PC)  
 CD with PC application including Pearl Simulator and Cache Builder

Now includes Colour LCD Screen



30-01-8200	<b>Sapphire 2000 Console</b> (order Flightcase or Upgrade pack separately)	10500.00
09-01-0152	Sapphire 2000 packaging (if not supplied flightcased) ( <b>Nett price</b> )	225.00
	<small>Note: console now includes colour LCD VGA screen, graphic tablet discontinued</small>	
30-01-8200U	<b>Sapphire 2000 Tour Upgrade pack</b> <b>A package price including:</b> Touring Control System <b>Flightcase</b> – on wheels. 2 Halogen, Flexible <b>Console Lamps</b> Printed Water Proof <b>Console Cover</b> Compact QWERTY <b>Keyboard</b> .	820.00
09-01-0039	<b>Sapphire 2000 options:-</b> Touring Control Flightcase on wheels	790.00
8100-2000	Printed, Water Proof Console Cover for Sapphire 2000	55.00
11-02-0124	Flexible Halogen Console Lamp for Sapphire 2000- Right Angle	47.00
<del>30-12-0001</del>	<del>Riggers Remote Control Handset</del>	<del>395.00</del>
11-02-0163	Compact QWERTY Keyboard.	120.00


Off Line PC based Editor for Pearl available as a free of charge download from [www.avolites.com](http://www.avolites.com)

All prices are ex works and exclude VAT and are subject to any time.  
 The terms and conditions of sale are printed on the back  
 of every invoice and available on demand.

Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England



Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
<b>Pearl Series Consoles</b>		
	<p><b>Pearl Expert</b> (Shown with optional LCD screen)</p> <p><b>All Pearl Expert consoles include:</b></p> <p><b>2,048 Output Channels</b> – 4 full-speed DMX universes RDM ready</p> <p><b>Shape Generator</b> for instant creation of patterns &amp; effects</p> <p>120 intelligent lights – full control of any mixture of fixtures</p> <p>240 separate Dimmer Control Channels</p> <p>Dimmer with soft patch, with multiple response curves and HTP control</p> <p>600 memories or sequences</p> <p>20 sequences may be run simultaneously</p> <p>20 Playback Submasters.</p> <p>Unique Split Roller</p> <p>Reverse printed Poly Carbonate Laminate front panel</p> <p>Stainless Steel Front Panel</p> <p>Newly styled end cheeks finished in a tough grey and metal impregnated paint</p> <p>Two Speed silver slim encoder knobs</p> <p>4 DMX XLR connectors</p> <p>Built In Stage Visualiser</p> <p>Built in CD/DVD writer/re writer</p> <p>Built in QWERTY Keyboard and Touch "mouse" pad</p> <p>USB Memory pen port</p> <p>Theatrical style keypad channel selection and playback control</p> <p>MIDI, and MIDI timecode inputs</p> <p>Operators Manual and Mains Lead</p> <p>Personality files fo over 1,000 fixtures</p> <p>Windows XP Embedded</p> <p>Pearl 2008 consoles require a 1024 * 768 screen which is not included in the console price. This can be sourced locally or the Avolites screen with mounting arm can be supplied as detailed below.</p>	
30-01-9900	<b>Pearl Expert Console (order flightcase and options separately)</b>	7500.00
30-01-9905	<b>Pearl Expert Options:</b> LCD Monitor and Mounting Arm	450.00
09-01-0061	Standard Control System Flightcase for Pearl	400.00
8100-9001	Printed, Water Proof Console Cover for Pearl Expert	40.00
11-02-0121	Pearl Expert and Diamond 4 Console Lamp	55.00

All prices are ex works and exclude VAT and are subject to any time.  
The terms and conditions of sale are printed on the back  
of every invoice and available on demand.

## Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England  
 Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
	<p><b>Pearl 2008, (Shown with option LCD screen)</b>  <b>All Pearl 2008 consoles include:</b>  <b>2,048 Output Channels</b> – 4 full-speed DMX universes  <b>Shape Generator</b> for instant creation of patterns &amp; effects                      120 intelligent lights – full control of any mixture of fixtures                      240 separate Dimmer Control Channels                      Dimmer with soft patch, with multiple response curves and HTP control                      450 memories or sequences                      15 sequences may be run simultaneously                      15 Playback Submasters.                      Reverse printed Poly Carbonate Laminate front panel                      New improved feel master faders                      Newly styled end cheeks finished in a tough grey and metal impregnated paint                      Newly styled roller laminate in Silver and Black                      New Two Speed silver slim encoder knobs                      Output panel has 4 DMX XLR connectors                      Supplied with PC applications, Visualiser, Pearl Simulation program and Avolites Cache Builder                      Fitted with 3.5 inch, 1.44MB floppy disk drive                      Colour VGA output fitted as standard                      Bass, Mid, and Treble sound to light triggers                      Theatrical style keypad channel selection and playback control                      MIDI, and MIDI timecode inputs                      Operators Manual and Mains Lead                      Fitted with Extended Memory                      Personality Disks for over 140 fixtures                      Training Video                      Avolites Stage Visualiser, serial connection (runs on a separate PC)                      CD with PC applications including Pearl Simulator and Cache Builder                      USB memory connection                      Pearl 2008 software ready                      Pearl 2008 consoles require a VGA screen which is not included in the console price. This can generally be sourced locally at a competitive price.</p>	
30-01-9080	<b>Pearl 2008 Console (order flightcase and options seperately)</b>	6480.00
	<b>Pearl 2008 Options:</b>	
1221-1010	LCD Monitor for Pearl/Sapphire/Axure	250.00
09-01-0031	Standard Control System Flightcase for Pearl 2008	360.00
8100-9000	Printed, Water Proof Console Cover for Pearl 2008	40.00
11-02-0156	Flexible Halogen Console Lamp for Pearl (Straight connector, short length)	32.00

All prices are ex works and exclude VAT and are subject to any time.  
 The terms and conditions of sale are printed on the back  
 of every invoice and available on demand.

Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England

Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
------	-------------	---------

**Azure 2000 Consoles**

The Azure 2000 is manufactured in 2 models, the Touch Panel and the Shadow. Each model is then available with Oak, Contemporary, and Rack Ear trims. Azure 2000 consoles require a VGA screen which is not included in the console price. This can generally be sourced locally at a competitive price.



**All consoles Feature:**

- 2,048 Control Channels - 4 full-speed DMX lines.
- 200 intelligent fixtures - full control of any mixture of fixtures.
- 200 Dimmer Control Channels - with soft patch & response curves.
- 500 memories or sequences
- 20 sequences may be run simultaneously
- 10 Playback Submaster Faders with Flash Buttons.
- 40 Playback Submaster Buttons.
- Fitted with 3.5 "Floppy disk drive.
- Colour VGA output fitted as standard.
- MIDI, and MIDI timecode inputs.
- 100 Preloaded Shapes.
- Over 220 fixture personalities supplied with console
- Fitted with Extended Memory
- Mains Lead and Operators Manual

**Azure Consoles** (order Surrounds/Trim, Flightcase and Options separately)


30-01-5000	<b>Azure 2000 - Touch Panel</b>	2800.00
30-01-5500	<b>Azure 2000 - Shadow</b>	3880.00

**Azure Surrounds and Trim**

1360-0010AB	19 inch rack mounting ears	22.00
14-01-0045	Oak Sides and Leather Armrest	195.00
14-02-0050	Moulded Contemporary Style Sides and Armrest	195.00

**Flightcases**

09-01-0095	Small Flightcase for Azure, (Graphic tablet stores under console)	363.00
1002-0001	Azure Touch Padded Hand Luggage Bag (Pizza Bag Style)	68.00




**Azure Options**

1221-1010	LCD Monitor for Pearl/Sapphire/Azure	250.00
8100-5000	Printed, Water Proof Console cover	40.00
11-02-0124	Flexible Halogen Console Lamp	47.00
11-02-0163	Small Compact Keyboard	120.00

All prices are ex works and exclude VAT and are subject to any time.  
The terms and conditions of sale are printed on the back of every invoice and available on demand.

**Avolites Ltd. International Price List**

184 Park Avenue London NW 10 7XL England  
 Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
<b>Room Lighting Controller</b> (connects to Azure series consoles)		
		
30-12-0100	Room Remote for Azure 2000	395.00
30-12-0110	Room Lighting Controller interface receiver (1 per system required)	65.00

**Avolites Serial Connection Stage Visualisation System**



8200-0200	Visualiser Operators Manual	25.00
	Dongle for Visualiser No longer required - software fully unlocked and available for	
1808-0013	Visualiser MIDI to RS232 cable	28.50
8500-0502	Avolites Vis and Sim Software on CD	25.00
33-65-8055	Avolites Visualiser and Simulator on CD + Serial cable + Manual	75.00

**EZ DMX - Avolites DMX to USB to DMX adaptor**

Consisting of a 19inch rack mount box with 8 DMX universes as inputs or outputs and MIDI in thro and out connectors, complete with USB and Mains cable. Note that DMX connectors are Female.

Supplied with the Visualiser software and Dongle, DMX level viewing software and associated drivers for Win 98, 2000 and XP (Not suitable for use with for NT4)

33-65-3102	<b>EZ 8 Universe USB to DMX adaptor</b>	985.00
------------	---	--------

**eDMX - radio DMX system using standard WiFi 802.11x components and WENDI**

eDMX starter pack consisting of two TUBE encoders/decoders and Wireless Access Point (WAP) and all the necessary cables, manuals etc.

33-65-9010	eDMX starter pack consisting of two TUBE encoders/decoders and Wireless Access Point (WAP) and all the necessary cables, manuals etc.	1830.00
33-65-9000	eDMX TUBE c/w serial cable, manual etc	880.00
33-65-9100	Wireless Access Point, fully configured and ready to use	170.00

**mDMX - DMX over mains system, fully WENDI compatible**

mDMX Starter Pack, includes 2 mDMX tubes configured as Ecoder and Decoder

33-65-9202	mDMX Starter Pack, includes 2 mDMX tubes configured as Ecoder and Decoder	1700.00
33-65-9200	mDMX tube c/w cables manual etc	890.00

**DMX 512 Splitters & Cables**



33-65-1000	Isolated DMX Rack Splitter 1 in 8 Out - 19" 1U Rack Mounting	495.00
33-65-2000	Isolated DMX Truss Splitter - 1 in 6 Out - Truss Mounting	450.00

**Time Code Converter**

33-65-3000	SMPTE Analogue Time Code to MIDI Time Code Conversion Unit	380.00
------------	--	--------

All prices are ex works and exclude VAT and are subject to any time.  
 The terms and conditions of sale are printed on the back  
 of every invoice and available on demand.

Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England

Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

**Part Description Price £**

**Art 2000 Touring Dimming Systems**



**All Art 2000 Touring Systems feature:**  
 Channels rated at 16 Amps at 100% Duty Cycle.  
 Studio Standard Suppression Chokes at 240µ Seconds.  
 Flexible, interchangeable modular design: each 12 channel bay can contain Dimming channels or Mains Distribution Switching channels.  
 Dual DMX inputs, both with HTP merge and Loop out connectors.  
 Fully flexible soft patching on both DMX inputs.  
 Rotary Level Faders for each channel with HTP merge.  
 Termination switches for both DMX inputs.  
 Powerloc Mains Input connectors fitted - 3 Phase + N + E  
 4 off 3 Phase, 63 Amp, Mains Disconnect Breakers.  
 Load Lamp Test Facility.  
 Amptown Flightcase, on wheels, with removable Front, Rear and Top.  
 All Art 2000 Systems are CE Compliant.

**Example Systems**

The ART 2000 touring systems consist of two frame sizes which are then populated with a number of different modules and fittings. The frame sizes are T2 for 2 modules and T4 for 4 modules. We have shown in each section a basic and full spec system, but you can specify your exact configuration using the Dimming System option quotation sheet, the prices given DO NOT include patch cables. Prices are for guidance only and systems will be built from the quotation sheets.



<b>17-80-0018</b>	<b>Modules:</b> 12 * 16 Amps Dimming Tray	1068.00
<b>17-80-0118</b>	12 * 16 Amps DMX Triggered Contactor Tray	1076.00
<b>17-80-0019</b>	12 * 16 Amps Breaker Tray	554.00
<b>17-80-0129</b>	Tray Blanking Plate	30.00
<b>17-80-0033</b>	6 * 32 Amps Dimming Tray	1135.21
<b>17-80-0149</b>	3 * 63 Amps Dimming Tray	1233.32
	<b>Patch Cables:</b> (fitted with Avolites retaining clip)	
<b>03-13-0049</b>	Wieland 16 Amp patch cable 0.5m long	7.00
<b>03-13-0051</b>	Wieland 16 Amp patch cable 0.8m long	7.00
	<b>Interface cable:</b> for uploading software etc.	
<b>1808-0016</b>	ART 2000 software upgrade cable	26.00

For complete system pricing see the following pages, or Appendix 1 and 2

Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England  
 Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
------	-------------	---------

**Art 2000 T4 Example Systems**



The systems shown below are examples only. Every system will be built to order as required.

**Basic Spec. Includes:** Voltmeter, Phase check indication, Powerlock inputs, MCB breakers, with hot patch 120 dimmer / hot channels to 144 circuits, outputs on 20 of Socapex and 3 x 16 amp Cee form connectors, 4 modules of 12 x 16 amp.

**Full Spec. includes:** As basic system but with Powerlock in and out, RCB's Ampmeter, 32 amp Auxillary output.

**Art 2000 T4 48 x 16 Amp. Touring Systems.**

<b>Basic Touring Spec.</b> 48 x 16A All Dimming Channels	10013.00
<b>Full Touring Spec.</b> 48 x 16A All Dimming Channels	10863.00
<b>Basic Touring Spec.</b> 48 x 16A All Mains Distro Channels	7957.00
<b>Full Touring Spec.</b> 48 x 16A All Mains Distro Cchannels	8807.00

**Art 2000 T4 System - 32 Amp System**



**Basic Spec. Includes:** Voltmeter, Ampmeter, Phase check indication, Powerlock inputs, MCB breakers, direct out to Cee 32 connectors, 4 modules of 6 x 32 amp.

**Full Spec. Includes:** As basic system but with Powerlock in and out, RCB's, 32 amp Auxillary output.

**Art 2000 T4 24 x 32 Amp. Touring systems**

<b>Basic Touring Spec.</b> 24 x 32A All Dimming Channels	9193.84
<b>Full Touring Spec.</b> 24 x 32A All Dimming Channels	9743.84

**Art 2000 T4 System - 63 Amp System**

**Basic Spec. includes:** Voltmeter, Ampmeter, Phase check indication, Camlock inputs, MCB's breakers, direct out to Cee 63 connectors, 4 modules of 3 x 63 amp.

**Full Spec. includes :** As basic system but with Powerlock in and out, RCB's Ampeter, 32 amp Auxillary output.

**Art 2000 T4 6 x 63 Amp. Touring Systems**

<b>Basic Touring Spec.</b> 6 x 63A All Dimming Channels	9622.86
<b>Full Touring Spec.</b> 6 x 63A All Dimming Channels	10272.86

For individual quotation use ART 2000 T4 Dimmer Price and Quotation Sheet (appendix 1)

All prices are ex works and exclude VAT and are subject to any time.  
 The terms and conditions of sale are printed on the back  
 of every invoice and available on demand.

## Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England


Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
<b>Art 2000 T2 Example Systems</b>		
	<b>Basic Spec. Includes:</b> Voltmeter, Phase check indication, Powerlock inputs, MCB breakers, with hot 60 dimmer/hot channels to 72 circuits, out puts on 10 off Socapex, 16 amp and 32 amp Auxillary connectors and 9 patch power connectors 2 modules of 12 x 16 amp	
	<b>Full Spec. Includes :</b> As basic but with Powerlock in and out, RCB's Ampmeter	
	<b>Art 2000 T2 24 x 16 Amp. Touring Systems.</b>	
	<b>Basic Touring Spec.</b> 24 x 16A All Dimming Channels	6777.29
	<b>Full Touring Spec.</b> 24 x 16A All Dimming Channels	7455.43
	<b>Basic Touring Spec.</b> 24 x 16A All Mains Distro Channels	5749.29
	<b>Full Touring Spec.</b> 24 x 16A All Mains Distro Channels	6427.43
<b>Art 2000 T2 System - 32 Amp System</b>		
	<b>Basic Spec. Include:</b> Voltmeter, Ampmeter, Phase check indication, Powerlock inputs, MCB breakers, direct out to Cee 32 connectors, 2 modules of 6 x 32amp	
	<b>Full Spec. include:</b> As basic with Powerlock in and out, RCB's	
	<b>Art 2000 T2 12 x 32 Amp. Touring Systems.</b>	
	<b>Basic Touring Spec.</b> 12 x 32A All Dimming Channels	6365.28
	<b>Full Touring Spec.</b> 12 x 32A All Dimming Channels	6843.42
<b>Art 2000 T2 System - 63 Amp System</b>		
	<b>Basic Spec. Includes:</b> Voltmeter, phase check indication, Powerlock inputs, MCB breakers, direct out to Cee 63 connectors, 2 modules of 3 x 63 amp	
	<b>Full Spec. Includes:</b> As basic but with Powerlock in and out, RCB's Ampmeter.	
<b>Art 2000 T2 6 x 63 Amp. Touring Systems</b>		
	<b>Basic Touring Spec.</b> 6 x 63A All Dimming Channels	6525.07
	<b>Full Touring Spec.</b> 6 x 63A All Dimming Channels	7203.21
	<b>For individual quotation use ART 2000 T2 Dimmer Price and Quotation Sheet (appendix 2)</b>	
<b>Art 2000 Dimming Patch and Interface cables</b>		
	We recommend that a mixture of 0.5m and 0.8m cables are purchased. All cables are fitted with the Avolites clip which prevents cables accidentally coming out of the patch connector.	
03-13-0049	Wieland 16 Amp patch cable 0.5m long	7.00
03-13-0051	Wieland 16 Amp patch cable 0.8m long	7.00
1808-0016	<b>Interface</b> cable for uploading software etc. ART 2000 software upgrade cable	26.00

All prices are ex works and exclude VAT and are subject to any time.  
The terms and conditions of sale are printed on the back  
of every invoice and available on demand.

## Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England  
 Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
<b>Art 2000-S 19 inch Rack Mount Individual Standalone Dimming Modules</b>		
 <p>Like all the Art2000 systems the Art2000s is fully configurable to meet your exact requirements, built from a base module you can specify the Power per Channel, Input Protection, and Output Connectors. You can specify a mains tail or have it supplied ready to accept your own. The Art2000s is fully compatible with the ART dimming range and built to the same exacting standards. All modules have direct access to channels using individual channel controls and have the ability to store and control 12 internal memories.</p>		
Base modules		
<b>17-83-1601</b>	A2K-S 12 * 16Amp Single Pole Base Module	1320.00
<b>17-83-3201</b>	A2K-S 6 * 32Amp Single pole Base Module	1330.00
RCB Protection		
<b>17-83-0030</b>	A2K-S RCB Protection for A2K-S, 30mA 63Amp	195.00
Mains Input Tail		
<b>17-83-0000</b>	A2K-S 1.5mtr 10mmsq Mains Tail	40.00
Data input		
<b>17-83-0051</b>	A2K-S Dual DMX Input	75.00
Output Panels		
<b>17-83-0100</b>	A2K-S Back Panel 2 * 6 Channel Socapex	160.00
<b>17-83-0102</b>	A2K-S Back Panel 2 * 6 Channel Harting (unused pins earthed)	160.00
	A2K-S Back Panel 2 * 6 Channel Harting (unused pins not connected)	
<b>17-83-0107</b>	A2K-S Back Panel 12 * CEE 16	190.00
<b>17-83-0106</b>	A2K-S Back Panel 2 * 3 Channel Harting 35 Amp contacts (for 32 amp modules)	100.00

### ART2000-S Example Module Pricing

12 * 16 Amp per channel, Socapex out, ready for your own mains tail	1555.00
12 * 16 Amp per channel, RCB protection, Socapex out, Mains tail fitted	1750.00
12 * 32 Amp per channel RCB protection on two Harting connectors, mains tail	1740.00

Note that the above examples are for pricing information, however we will always quote and list the individual components

All prices are ex works and exclude VAT and are subject to any time.  
 The terms and conditions of sale are printed on the back  
 of every invoice and available on demand.

## Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England  
 Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
------	-------------	---------

### Art 2000 Install Dimming Systems



All install systems are configured to order and there are a large number fo configurations shown below are some of the more popular options to give a price indication, however contact the sales team for an exact quotation, or consult the Art2000 I component price list in appendix 3

**All Art 2000 Install Systems feature:**

- Channels rated at 16 Amps at 100% Duty Cycle.
- Studio Standard Suppression Chokes at 240µ Seconds.
- 2 Bays containing 12 by 16, 6 by 32, 3 by 63 amp or 12 by 16 Amp Switched channels
- Panic input switching to a pre determined state
- Dual DMX inputs, both with HTP merge
- Fully flexible soft patching on both DMX inputs.
- Channel test encoder
- All Art 2000 Systems are CE Compliant.

Full documetation is available as a free of charge download from [www.avolites.com](http://www.avolites.com)

### Art 2000 Install Example Systems

<b>24 channels 16 Amp (lowest cost system)</b>	3036.31
<b>24 channels 16 Amp with RCB protection</b>	3332.73
<b>24 channels 16 Amp with Patching to 48 circuits and RCB protection</b>	3829.73
<b>24 channels 16 Amp with Patching to 48 circuits, RCB protection, Mains</b>	4049.65
<b>12 channels of 16 Amps 6 channels of 32 Amps with RCB and Mains Isolator</b>	3121.75
<b>48 channels of 16 Amps system wit Patch and RCB protection</b>	7064.11
<b>24 channels of 16 Amps 12 channels of 32 Amps RCB protectopn and Mains</b>	6609.41

For details of how these systems are constructed and part numbers see install quotation appendix

All prices are ex works and excluce VAT and are subject to any time.  
 The terms and conditions of sale are printed on the back  
 of every invoice and available on demand.

## Avolites Ltd. International Price List

184 Park Avenue London NW 10 7XL England  
 Voice +44 (0) 20 8965 8522 Fax +44 (0) 20 8965 0290 Email salesone@avolites.com web www.avolites.com

Part	Description	Price £
<b>Spare Parts - Software and Eproms</b>		
20-01-7002	Diamond "Operating System" Software on Disk	30.00
20-01-8000	Sapphire "Operating System" Software on Disk	30.00
20-01-9000	Pearl 2000 "Operating System" Software on Disk	30.00
20-02-7002	Diamond Personality Disk (for D11 & D111)	30.00
20-02-8900	Rolacue 96 Personality Disk (for Pearl & Sapphire)	30.00

Note: All operating system software or personality files are available F.O.C. on the Avolites web site:www.avolites.com

### Spare Parts

#### CONSOLE COVERS - Printed, with Avolites Logo

Tailored and designed specifically for the console

8100-2000	Sapphire 2000	55.00
8100-9000	Pearl 2000 / 2004 (heat reflective silver)	40.00
8100-5000	Azure 2000	40.00
8100-9050	Diamond 4 Elite (heat reflective silver)	54.00
8100-9055	Diamond 4 Vision (heat reflective silver)	54.00

**Avolites Accessories** (many of these accessories can also be ordered through the web shop at www.avolites.com)

1002-0006	Lanyards printed in two colours	2.50
1010-(size: L/M/S)	Embroidered T-Shirt	15.00
1050-0000	Avolites 'Sharpie' pack 5	10.00
1002-0000	Embroidered Tour bag	28.00
11-03-0015	"Rolapage" clear/matt writing tape	7.80

Operations Manual (Please console desk type, manuals can be downloaded from the web at no cost)

8300-0100	Pearl Training Video - Issue 1 (state format PAL, NTSC, SECAM)	15.00
8300-0200N	Azure Training Video - Issue 1 (state format PAL, NTSC, SECAM)	18.00

#### Service and Training Charges

**Current Manufactured products listed in this price list (per hour):** 40.00

**Non current products service rate (per hour):** 90.00

Non current products are defined as products that were ceased in manufacture more than 4 years prior to needing service.

#### Emergency On site service:

On site time, rates as for in house, plus all expenses, plus £30 per call. If an overnight stay is required a minimum of 18 hours will be charged. Rates may be higher at weekends and holidays. Travelling time at charged from leaving Avolites, Park Avenue

From 40.00

#### In house operational training

Please contact Lindsey at Avolites London for further details

Standard 1 day course From 30.00

One to One training to suit your requirements From 50.00

On Site Training (per day) From 250.00

### Spares Kits

**2000 Range Console spares kits** (for a full listing of each kit please see the Avolites shop at www.avolites.com then click on avoshop)

- Operators Kit (spare line drivers, etc.)
- First Aid Kit (Operators kit + Spare faders etc)
- Workshop and on site service kit (all the above but includes PSU and more)

#### ART Dimmer spares kits

- Touring spares kit
- On Site and Workshop spares kit

All prices are ex works and exclude VAT and are subject to any time.  
 The terms and conditions of sale are printed on the back  
 of every invoice and available on demand.